

FORM PTO-1390 (Modified)
(REV 11-2000)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

TRANSMITTAL LETTER TO THE UNITED STATES
DESIGNATED/ELECTED OFFICE (DO/EO/US)
CONCERNING A FILING UNDER 35 U.S.C. 371

208718US0PCT

U.S. APPLICATION NO. (IF KNOWN), SEE 37 CFR

097868043

INTERNATIONAL APPLICATION NO.
PCT/FR99/03141INTERNATIONAL FILING DATE
15 DECEMBER 1999PRIORITY DATE CLAIMED
16 DECEMBER 1998

TITLE OF INVENTION

BIOCHIP PRODUCTION METHOD AND BIOCHIP

APPLICANT(S) FOR DO/EO/US

Charles ROSILIO, et al.

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (24) indicated below.
4. ☒ The US has been elected by the expiration of 19 months from the priority date (Article 31).
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
 - a. ☐ is attached hereto (required only if not communicated by the International Bureau).
 - b. ☒ has been communicated by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).
 - a. ☒ is attached hereto.
 - b. ☐ has been previously submitted under 35 U.S.C. 154(d)(4).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
 - a. ☐ are attached hereto (required only if not communicated by the International Bureau).
 - b. ☐ have been communicated by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☒ have not been made and will not be made.
8. ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
10. ☒ An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).
11. ☐ A copy of the International Preliminary Examination Report (PCT/IPEA/409).
12. ☒ A copy of the International Search Report (PCT/ISA/210).

Items 13 to 20 below concern document(s) or information included:

13. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
15. ☒ A **FIRST** preliminary amendment.
16. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
17. ☐ A substitute specification.
18. ☐ A change of power of attorney and/or address letter.
19. ☐ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.
20. ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4).
21. ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).
22. ☐ Certificate of Mailing by Express Mail
23. ☒ Other items or information:

Request for Consideration of Documents in International Search Report
Notice of Priority / PCT/IB/304 / PCT/IB/308
Drawings (3 sheets) / Amended Sheets (pages 3, 26, and 31)

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR <div style="font-size: 1.5em; font-weight: bold;">09/868043</div>		INTERNATIONAL APPLICATION NO. <div style="font-weight: bold;">PCT/FR99/03141</div>		ATTORNEY'S DOCKET NUMBER <div style="font-weight: bold;">208718US0PCT</div>	
---	--	---	--	--	--

24. The following fees are submitted:

BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)) :

<input type="checkbox"/> Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO	\$1000.00
<input checked="" type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO	\$860.00
<input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO	\$710.00
<input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4)	\$690.00
<input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4)	\$100.00

ENTER APPROPRIATE BASIC FEE AMOUNT =

Surcharge of **\$130.00** for furnishing the oath or declaration later than ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492 (e)).

CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	TOTAL
Total claims	26 - 20 =	6	x \$18.00	\$108.00
Independent claims	3 - 3 =	0	x \$80.00	\$0.00
Multiple Dependent Claims (check if applicable). <input type="checkbox"/>				\$0.00

TOTAL OF ABOVE CALCULATIONS = \$968.00

☒ Applicant claims small entity status. (See 37 CFR 1.27). The fees indicated above are reduced by 1/2.

SUBTOTAL = \$968.00

Processing fee of **\$130.00** for furnishing the English translation later than ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492 (f)).

TOTAL NATIONAL FEE = \$968.00

Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable). ☐

TOTAL FEES ENCLOSED = \$968.00

	Amount to be:	
	refunded	\$
	charged	\$

☒ A check in the amount of \$968.00 to cover the above fees is enclosed.

☐ Please charge my Deposit Account No. _____ in the amount of _____ to cover the above fees. A duplicate copy of this sheet is enclosed.

☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 15-0030 A duplicate copy of this sheet is enclosed.

☐ Fees are to be charged to a credit card. **WARNING:** Information on this form may become public. **Credit card information should not be included on this form.** Provide credit card information and authorization on PTO-2038.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

22850

Surinder Sachar

Registration No. 34,423

(703) 413-3000

Surinder Sachar

SIGNATURE

Norman F. Oblon

NAME

24,618

REGISTRATION NUMBER

6-14-01

DATE

09/868043

JCO3 Rec'd PCT/FR 14 JUN 2001

208718US-0PCT

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF :
CHARLES ROSILIO ET AL : ATTN: APPLICATION DIVISION
SERIAL NO: NEW U.S. PCT APPLN :
(Based on PCT/FR99/03141)
FILED: HEREWITH :
FOR: BIOCHIP PRODUCTION METHOD:
AND BIOCHIP

PRELIMINARY AMENDMENT

ASSISTANT COMMISSIONER FOR PATENTS
WASHINGTON, D.C. 20231

SIR:

Prior to examination on the merits, please amend the above-identified application as follows:

IN THE CLAIMS

Please amend the claims as shown in the marked-up copy following this amendment to read as follows.




5. (Amended) Method according to claim 3, wherein step a) also comprises a chemical treatment step of the gold layer at the base of the microtroughs in the presence of a functionalised pyrrole for example with a thiol group so as to form a monolayer of pyrrole onto said gold layer, at the base of said microtroughs.



7. (Amended) Method according to claim 1, wherein the substrate is a silicon insert.

10. (Amended) Method according to claim 1, wherein the collective electropolymerisation is carried out by immersing the structured substrate obtained in step a) mentioned above in an electrolytic bath comprising a solution of pyrrole, functionalised pyrrole, and suitable chemical reagents for electropolymerisation, in the presence of a counterelectrode which is immersed in the electrolytic bath and is independent of the structured substrate, the layer of material capable of initiating and promoting the adhesion onto said layer of the pyrrole and functionalised pyrrole copolymer film forming a working electrode.


11. (Amended) Method according to claim 1, wherein the functionalised pyrrole is a pyrrole comprising a group chosen in a set comprising an NH_2 group, a thiol group, an N-hydroxysuccinimide ester group, a trimethoxy silyl group, a carboxyl, aldehyde and isothiocyanate group.




12. (Amended) Method according to claim 1, wherein the functionalised pyrrole is chosen from one of the following compounds:





15. (Amended) Method according to claim 13, wherein the cross-linking agent is chosen from one of the following compounds:





19. (Amended) Blank biochip comprising in this order:


- a substrate,
- a layer of material capable of initiating and promoting on said layer the adhesion of a film of a pyrrole and functionalised pyrrole copolymer by electropolymerisation,
- a layer of resin coating said layer of material capable of initiating and promoting the adhesion on said layer of a film of a pyrrole and functionalised pyrrole copolymer, wherein microtroughs have been produced such that the base of said microtroughs is composed at least partly of the layer of said materials,
- a layer of a pyrrole and functionalised pyrrole copolymer, fixed on said material composing the base of said microtroughs.

Please add new Claims 21-26.

21. (New) Method according to claim 4, wherein step a) also comprises a chemical treatment step of the gold layer at the base of the microtroughs in the presence of a

functionalised pyrrole for example with a thiol group so as to form a monolayer of pyrrole onto said gold layer, at the base of said microtroughs.

22. (New) Method according to claim 21, wherein the functionalized pyrrole with a thiol group has the following chemical formula:








wherein n has a value ranging from 2 to 10.

23. (New) Method according to claim 2, wherein the substrate is a silicon insert.

24. (New) Method according to claim 2, wherein the collective electropolymerisation is carried out by immersing the structured substrate obtained in step a) mentioned above in an electrolytic bath comprising a solution of pyrrole, functionalised pyrrole, and suitable chemical reagents for electropolymerisation, in the presence of a counterelectrode which is immersed in the electrolytic bath and is independent of the structured substrate, the layer of material capable of initiating and promoting the adhesion onto said layer of the pyrrole and functionalised pyrrole copolymer film forming a working electrode.

25. (New) Method according to claim 2, wherein the functionalised pyrrole is a pyrrole comprising a group chosen in a set comprising an NH_2 group, a thiol group, an N-hydroxysuccinimide ester group, a trimethoxy silyl group, a carboxyl, aldehyde and isothiocyanate group.

26. (New) Method according to claim 2, wherein the functionalised pyrrole is chosen from one of the following compounds:



REMARKS

Claims 1-26 are active in the present application. Claims 5, 7, 10-12, 15 and 19 have been amended to remove multiple dependencies. Claims 21-26 are new claims. Support for the new claims is found in Claims 1-20. No new matter is added. An action on the merits and allowance of claims is solicited.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.



Norman F. Oblon
Attorney of Record
Registration No. 24,618

Daniel J. Pereira, Ph.D.
Registration No. 45,518



22850

(703) 413-3000

NFO:DJP\la

I:\atty\SUKOS\208718-pr.wpd

Marked-Up Copy

Serial No:

Amendment Filed on:

IN THE CLAIMS

Please amend the claims as follows:

--5. (Amended) Method according to claim 3 [or 4], wherein step a) also comprises a chemical treatment step of the gold layer at the base of the microtroughs in the presence of a functionalised pyrrole for example with a thiol group so as to form a monolayer of pyrrole onto said gold layer, at the base of said microtroughs.





7. (Amended) Method according to [any of claims 1 to 6] claim 1, wherein the substrate is a silicon insert.


10. (Amended) Method according to [any of claims 1 to 9] claim 1, wherein the collective electropolymerisation is carried out by immersing the structured substrate obtained in step a) mentioned above in an electrolytic bath comprising a solution of pyrrole, functionalised pyrrole, and suitable chemical reagents for electropolymerisation, in the presence of a counterelectrode which is immersed in the electrolytic bath and is independent of the structured substrate, the layer of material capable of initiating and promoting the adhesion onto said layer of the pyrrole and functionalised pyrrole copolymer film forming a working electrode.

11. (Amended) Method according to [any of claims 1 to 10] claim 1, wherein the functionalised pyrrole is a pyrrole comprising a group chosen in a set comprising an NH_2


group, a thiol group, an N-hydroxysuccinimide ester group, a trimethoxy silyl group, a carboxyl, aldehyde and isothiocyanate group.




12. (Amended) Method according to [any of claims 1 to 10] claim 1, wherein the functionalised pyrrole is chosen from one of the following compounds:





15. (Amended) Method according to claim 13, wherein the cross-linking agent is chosen from one of the following compounds:





19. (Amended) Blank biochip comprising in this order:

- a substrate,
- a layer of material capable of initiating and promoting on said layer the adhesion of a film of a pyrrole and functionalised pyrrole copolymer by electropolymerisation,
- a layer of resin coating said layer of material capable of initiating and promoting the adhesion on said layer of a film of a pyrrole and functionalised pyrrole copolymer, wherein microtroughs have been produced such that the base of said microtroughs is composed at least partly of the layer of said materials,
- a layer of a pyrrole and functionalised pyrrole copolymer, fixed on said material composing the base of said microtroughs.--

Claims 21-26 (New).

BIOCHIP PRODUCTION METHOD AND BIOCHIPField of the invention

The present invention relates to a method to produce a biochip and to a biochip, said biochip being composed particularly of biological probes grafted onto a conductive polymer.

5 Biological analysis devices, for example DNA chips, represent high-performance tools for the parallel analysis of a large number of genes or DNA or RNA sequences. Their operating principle is based on the hybridisation or pairing property of two strands of
10 complementary sequences in order to reconstitute the DNA double helix. To do this, oligonucleotide probes of a known sequence, immobilised on a support substrate, are placed in the presence of targets extracted from a biological specimen under analysis, and labelled using
15 fluorescent markers.

The hybridisation is then identified and the sequence detected by analysing the surface of the chip with a suitable marker for example to detect the sequence by fluorescence.

20 Very different technologies have been used to produce these probe matrices. Various immobilisation or grafting techniques of probes onto different substrates have been the subject of significant studies and industrial developments.

25

State of the related art

There are essentially three chemical probe addressing methods which represent different approaches

to the production and use of probes for different fields of application. They consist of photochemical addressing, mechanical addressing, for example by micropipetting using a dispersion robot, and
5 electrochemical addressing.

For example, electrochemical addressing may be used for oligonucleotide probes. To do this, individually addressed electrode matrices are produced on a glass substrate.

10 The biological probe immobilisation principle is based on the electropolymerisation deposition of a copolymer of pyrrole and pyrrole substituted by an oligonucleotide (Py-ODN), comprising an oligonucleotide grafted onto a pyrrole nucleus either directly, or
15 indirectly by means of a spacer.

In order to develop massively parallel biological analysis systems, with a high capacity or active site density, it is necessary to be able to address a large number of probes.

20 Methods using electrochemical addressing require both a large electrode and connection matrix and a multiplexer to index each of the chip's sites electrically. In addition, in these methods, it is necessary to carry out electropolymerisation by
25 immersing the entire chip successively in solutions of each of the Py-ODNs contained in the cell. Therefore, these methods are limited to low-density chips, i.e. comprising approximately one hundred probes, for limited and specific applications.

30 Other methods have been described in the prior art, advantageously replacing individual electrical

addressing by mechanical addressing. However, a disadvantage remains, that of carrying out electropolymerisations in microtroughs, with a solution volume of the order of one nanolitre, for which it is
 5 necessary to delay evaporation after micropipetting of all the probes on the insert so that electropolymerisation may take place.

Description of the invention

10 The aim of the present invention is specifically to solve the above-mentioned problems by providing a method to produce a biochip composed particularly of biological probes grafted onto a conductive polymer, said method particularly offering the advantage of only
 15 requiring the use of a single solution of a mixture of suitable proportions of pyrrole and substituted pyrrole (Py and Py-R-F or F and a reactive chemical function and R is an aliphatic or aromatic spacer group) for a single collective electrodeposition on all the
 20 microtroughs.

The method according to the invention is characterised in that it comprises the following steps:

a) structuring of a substrate so as to obtain on said substrate microtroughs comprising in their base a
 25 layer of a material capable of initiating and promoting the adhesion onto said layer of a film of a pyrrole and functionalised pyrrole copolymer by electropolymerisation,

b) collective electropolymerisation, so as to form
 30 an electropolymerised film of a pyrrole and functionalised pyrrole copolymer on the base of said

microtroughs, on the layer of said material, using a pyrrole and functionalised pyrrole solution, in the presence of suitable chemical reagents for said electropolymerisation,

- 5 c) direct or indirect fixation of a biological probe onto the functionalised pyrrole, by injecting a biological probe solution, either in one or more microtroughs in the presence of chemical reagents required for the direct or indirect fixation of this
10 biological probe onto the functionalised pyrrole.

According to the invention, the layer of material capable of initiating and promoting the adhesion of a film of a pyrrole and functionalised pyrrole copolymer by electropolymerisation onto said layer may be a
15 metallic layer, step a) mentioned above possibly comprising a deposition step of said metallic layer onto the substrate, and a deposition step of a layer of resin or polymer onto the metallic layer and development or engraving of said layer so as to form
20 microtroughs, wherein the base is composed at least partly of the metallic layer.

According to the invention, the metallic layer may be, for example, a layer of gold, a layer of copper or silver or aluminium.


- 25 According to the invention, the substrate may be for example a silicon insert, a glass insert or a flexible plastic support if required.

According to another embodiment of the present invention, the step a) may also comprise a treatment
30 step of the gold layer at the base of the microtroughs in the presence of a functionalised pyrrole for example

with a thiol group so as to form a monolayer of pyrrole onto said metallic layer, for example on said gold layer, at the base of said microtroughs. This monolayer is capable of initiating and promoting the adhesion of
 5 a polypyrrole film by electropolymerisation as demonstrated by R. Simon et al., J. Am. Chem. Soc., 1982, 104, 2031). This is a self-assembled monolayer SAM of a functionalised pyrrole for its adhesion onto the base of the microtroughs.

10 According to the invention, the functionalised pyrrole may be a pyrrole which comprises a chemical group enabling its fixation by covalent bonding with the metallic layer, and/or with the biological probe. In the case of its fixation to the metallic layer, for
 15 example to the gold layer, a functionalised pyrrole with a thiol or disulphide group may also be used.

For example, the functionalised pyrrole with a thiol group may have the following chemical formula:



wherein n may have a value ranging from 1 to 10,
 20 for example n may be equal to 6.

For a metallic aluminium probe, a functionalised pyrrole with a -COOH group may be chosen.

According to another embodiment of the present invention, the substrate may be a silicon insert and
 25 the layer capable of initiating and promoting the adhesion onto said layer of a polypyrrole film by electropolymerisation may be a layer of silane comprising an alignment of pyrrole sites. Step a) of the method according to the present invention may in

this case comprise a deposition step of a layer of resin on the silicon insert, said silicon insert being coated with an SiO_2 film, and engraving of said resin layer so as to form the microtroughs wherein the base
 5 is composed at least partly of the SiO_2 film; and a microtrough treatment step by means of a functionalised silanisation agent with a pyrrole so as to fix, on the SiO_2 film, in the base of the microtroughs, the silane layer comprising an alignment of pyrrole sites.

10 According to the invention, the silanisation agent may be chosen in a group comprising N-(3-(trimethoxy silyl) propyl) pyrrole, or any other functionalised pyrrole with an $-\text{SiCl}_3$ or $-\text{Si}(\text{OMe})_3$ group. The SiO_2 film may be a natural SiO_2 film present on silicon inserts.


15 According to the invention, irrespective of the embodiment, the resin may be a photosensitive resin, wherein masking, insolation and development are used to form the microtroughs.

According to the invention, the collective
 20 electropolymerisation in step b) of the method may be carried out for example by immersing the structured substrate obtained in step a) mentioned above in an electrolytic bath comprising a solution of pyrrole, functionalised pyrrole, and suitable chemical reagents
 25 for electropolymerisation, in the presence of a counter-electrode to the working electrode which is immersed in the electrolytic bath and is independent of the structured substrate.


According to the invention, in this step b), the
 30 functionalised pyrrole may be a pyrrole comprising a group chosen in a set comprising an NH_2 group, a thiol

group, a succinimide ester group, a trimethoxy silyl group, a carboxyl, aldehyde and isothiocyanate group.

According to the invention, the functionalised pyrrole by electropolymerisation may for example be
5 chosen from one of the following compounds:




PYRROLE




N-ETHYLAMINE PYRROLE


10



N(3-(TRIMETHOXY SILYL) PROPYL) PYRROLE



Functionalised PYRROLE with a thiol



Functionalised PYRROLE in 3' by a succinimydyl
5 ester.

According to the invention, the electrolytic bath may be a mixture of pyrrole and functionalised pyrrole in suitable proportions to form a film comprising a required number of units of functionalised pyrrole. In

this way, the method according to the invention makes it possible to choose the number of biological probes per microtrough, since according to this method, the biological probes are fixed, either directly or indirectly on said functionalised pyrroles.


The next step c) of the method according to the invention consists of a direct or indirect fixation of a biological probe onto the functionalised pyrrole.

According to the invention, when the fixation of the biological probe is indirect, the step c) of the method according to the invention may also comprise, before the fixation of the biological probe, a collective fixation of a cross-linking agent on the functionalised pyrrole, in the presence of suitable chemical reagents, said cross-linking agent comprising a first function enabling its fixation onto the functionalised pyrrole, and a second function enabling the fixation of the biological probe on said cross-linking agent.

According to the invention, the cross-linking agent may for example be a bi-functional cross-linking agent.

The cross-linking agent may for example comprise an N-hydroxysuccinimide ester function and a maleimide function.

According to the invention, the cross-linking agent may for example be chosen from one of the following compounds:




N-hydroxysuccinimide ester maleic function

SMPB


succinimidyl 4-(p-maleimidophenyl)butyrate

5



GMBS


N-maleimidobutyryloxy succinimide ester,
a dialdehyde of the type




10

GLUTARALDEHYDE,

a diisothiocyanate of the type



1,4-PHENYLENE DIISOTHIOCYANATE,



SUCCINIC ANHYDRIDE OR SUCCINIC ACID

or a derivative of these compounds.

All the bi-functional cross-linking agents mentioned above are suitable for functionalised polypyrroles with the $-\text{CH}_2-\text{CH}_2-\text{NH}_2$ group in position 1 on nitrogen. However, electropolymerisation with a functionalised pyrrole with other groups is also possible. For example, $\text{Py}-\text{CH}_2-\text{CH}_2-\text{NH}_2$, $\text{Py}-\text{SH}$, Py -succinimidyl ester (in 3), Py -hydrazine with a substitution in 1 on nitrogen or in 3 on the pyrrole cycle, making it possible to immobilise the oligonucleotides, either directly or by means of a cross-linking agent, for example a bi-functional agent.

The following cross-linking agents may therefore be used in the method according to the present invention:

a) a glutaraldehyde type dialdehyde, which may react on the NH_2 function of the polypyrrole film (collective step) and then on the NH_2 function of an oligonucleotide terminated for example by a phosphate comprising an amino group, by an individual step in the microtroughs;

b) a diisothiocyanate which may also react on the amine function of the functionalised polypyrrole at one end (collective step) and then on an amine function of an oligonucleotide terminated by a phosphate with a functionalised spacer group with NH_2 ;

c) a succinic anhydride, which for each opening, comprises two acid functions capable of reacting on the NH_2 groups of the polypyrrole and on the NH_2 groups of a functionalised oligonucleotide with NH_2 .

5 According to the invention, the biological probe which will be the source of the specificity of the manufactured biochip, may be chosen for example from an oligonucleotide, a DNA, an RNA, a peptide, a glucide, a lipid, a protein, an antibody, an antigen.

10 According to the invention, the biological probe is preferentially functionalised to be able to be fixed either directly or indirectly on the functionalised pyrrole. The purpose of this functionalisation is to fix on the biological probe a chemical group capable of
15 forming a covalent bond between the biological probe and the functionalised pyrrole.

It may be for example functionalised with a thiol group, with an NH_2 group, aldehyde, a $-\text{COOH}$ group or an acid phosphate group.

20 For example, when the biological probe is an oligonucleotide, it may be functionalised with a thiol group SH . The functionalised oligonucleotides with S-H may be prepared according to a known procedure, for example at the end of an automated oligonucleotide
25 synthesis.

If it is easier to use functionalised oligonucleotides with NH_2 , it is possible for example to synthesise a functionalised pyrrole with an S-H for copolymerisation, to use for example SMPB with its two
30 specific functions and immobilise the functionalised

oligonucleotides with NH_2 by covalent bonding with the succinamide function of this cross-linking agent.

In the case of oligonucleotides terminated in 3' by an N-methyl uridine nucleotide, an oxidation reaction on this function makes it possible to obtain a functionalised oligonucleotide with an aldehyde function, capable of reacting directly, i.e. for example without the bi-functional agent on the functionalised polypyrrole with NH_2 .

To functionalise an oligonucleotide with an NH_2 function, one of the methods that may be used according to the method of the present invention may consist of coupling the oligonucleotide and commercially available N-trifluoroacetyl-6 amino hexyl-2 cyanoethyl NN'-diisopropyl phosphoramidite.

In addition, a functionalised oligonucleotide with NH_2 may for example be converted into an oligonucleotide terminated by a thiol with a reaction with dithiobis(succinimidylpropionate).

The functionalised probe oligonucleotides may for example be taken up by micropipetting in microwells and injected into the microtroughs for example by means of a dispensing microrobot or by jet printing. These devices are well-known to those skilled in the art.

The method according to the present invention makes it possible advantageously to choose the number of probes per active site, i.e. per microtrough by adjusting the proportion of functionalised pyrrole with reference to the pyrrole.

The required probe density may be monitored for example by fixing oligonucleotides labelled at the

chain ends by a biotin and using streptavidine-Cy3 detection by a surface analysis of the chip using conventional fluorescence detection methods.

Another advantage of the method according to the invention lies in the fact that both collective operations, electropolymerisation and fixation of the cross-linking agent if applicable, may be carried out in batches on a large number of inserts in parallel.

The inserts having undergone step a) and b) of the method according to the invention are also referred to as "blank biochips". They are ready to undergo the direct or indirect fixation step of a biological probe, for example of an oligonucleotide according to the present invention.

In this way, the method according to the invention makes it possible for example to produce an oligonucleotide chip comprising in this order:

- a silicon substrate coated in silica, and a functionalised silane layer with pyrrole, or
- a gold layer or a silane layer comprising pyrrole sites, or
- a gold layer with or without an electropolymerisation promotion and adherence layer (based on a functionalised pyrrole with an -SH thiol), or
- an aluminium layer with a functionalised pyrrole with a -COOH,
- and a resin layer wherein microtroughs have been produced such that the base of said microtroughs is composed at least partly of the gold layer or the silane layer comprising pyrrole sites,

- and a layer of pyrrole and functionalised pyrrole copolymer, fixed on the gold layer or the silane layer comprising pyrrole sites forming the base of said microtroughs, the functionalised pyrrole being
5 bound to a bi-functional cross-linking agent or not,

- and an oligonucleotide fixed directly on the functionalised pyrrole, or indirectly on the functionalised pyrrole by means of the cross-linking agent bound with the pyrrole.

10 The present invention's other advantages and characteristics will be seen more clearly upon reading the following description, which is naturally given as an illustration and is not restrictive, with reference to the appended figures.

15

Brief description of figures

- Figure 1 is a diagram of a section view of a structured substrate according to a first embodiment of steps a) and b) of the method according to the present
20 invention.

- Figure 2 is a diagram of a section view of a structured substrate according to the embodiment represented in figure 1, and also comprising a cross-linking agent for indirect fixation of a biological
25 molecule.

- Figure 3 is a diagram of a section view of a structured substrate represented in figure 2, illustrating the indirect fixation of an oligonucleotide on the cross-linking agent.

- Figure 4 is a diagram of a section view of a structured substrate according to a second embodiment of the method according to the present invention.

5 - Figure 5 is a diagram of a section view of a structured substrate according to a third embodiment of steps a) and b) of the method according to the present invention.

Examples

10 Example 1: Production of a biochip particularly composed of oligonucleotides grafted onto a conductive polymer according a first embodiment of the present invention.

According to this first embodiment, particularly
15 relating to step a) of the method according to the invention, a gold layer is deposited on a silicon insert so as to form a working electrode for the electropolymerisation of a pyrrole and functionalised pyrrole copolymer. Said gold layer is deposited using a
20 conventional vacuum evaporation or cathodic pulverisation technique. It has a thickness of approximately 1000 to 5000 Å and forms the collective working electrode.

A photosensitive resin is deposited on the gold
25 electrode and a photolithography step makes it possible to make openings in the resin so as to form microtroughs comprising the working electrode in their base, said microtroughs may be addressed simultaneously.

30 The resin used is preferentially:

a) a positive type photosensitive resin (Novolaque + diezonaphthoquinone developing in alkaline medium);

b) a Polyimide type negative photosensitive resin (OLIN) developing in an organic solvent;

5 c) or a polymer engraved by dry or wet engraving.

The microtroughs formed are 100x100x30 μm in size.

The resin is deposited on the gold electrode using a conventional spinning centrifugation technique. A structured substrate according to step a) of the method
10 according to the present invention is obtained in this way.

The collective electropolymerisation step b) is carried out using a pyrrole and functionalised pyrrole solution.

15 In this example, the functionalised pyrrole is N-ethylaminepyrrole and the solution used for electropolymerisation is an aqueous/ethanol or acetonitrile solution comprising 0.1 mole of pyrrole, and a functionalised pyrrole/pyrrole molar ratio of 5%
20 to 0.5% by weight of functionalised pyrrole. This solution is hereafter referred to as an electrolytic bath.

The method to obtain the functionalised pyrrole monomer with an NH_2 function is easy and is described
25 for example in I. Jurkowsky, R. Baudy, Synthesis 1981, p. 481.

The electropolymerisation is carried out by immersion in the electrolytic bath of the structured substrate obtained above, with suitable electrochemical
30 reagents. These reagents are for example electrolytic salts ($\text{Li}^+\text{ClO}_4^-$, quaternary ammonium salts, Li-toxylate,

or lithium, potassium or sodium sulphonate polystyrene).

The solvents for electropolymerisation are, for example, Ca_3CN , water, ethanol and water-ethanol
 5 mixtures. The pyrrole contained in the bath shows a concentration of the order of 10^{-1} to 10^{-3} M/l.

A platinum counter-electrode and a calomel reference electrode are immersed in the electrolytic bath and are independent of the silicon insert, only
 10 the working electrode is incorporated in the insert structure.

A layer of pyrrole and functionalised pyrrole copolymer is thus formed and deposited only on the base of the microtroughs by electrodeposition.

15 Figure 1 is a diagram of a section view of a substrate obtained according to this first embodiment of the method according to the present invention. In this figure, reference 1 relates to the structured substrate formed in this example, composed of a silicon
 20 insert 3, a gold layer 5 and a photosensitive resin layer 7. Reference 9 relates to the connection of the gold layer with an electric current generator for electropolymerisation, reference 10 to a microtrough, and references 11 and 13 relates to the pyrrole
 25 (reference 11) and N-ethylamine pyrrole (reference 13) copolymer formed by electrodeposition on the gold layer 5 at the base of the microtrough 10.

In this example, the biological molecule fixation step c) is an indirect fixation step. It comprises the
 30 fixation of a cross-linking agent on the NH_2 function

of the N-ethylamine pyrrole electrodeposited on the base of the microtroughs.

The cross-linking agent used in this example is succinimidyl 4-(p-maleimidophenyl) butyrate) SMPB
5 described above.

This fixation is carried out by forming a covalent bond between the NH_2 function of the functionalised pyrrole and the succinate function of the SMPB.

It is carried out by immersing the previously
10 formed substrate in a 10^{-3}M SMPB solution in a solvent (dimethylformamide).

The polypyrrole formed is insoluble in this solution and in the majority of standard solvents.

Figure 2 is a diagram of a section view of the
15 structured substrate obtained in this way. In this diagram, reference 1 relates to the structured substrate represented in figure 1, and reference 15 relates to the cross-linking agent SMPB. This figure 2 also demonstrates the reaction between the succinimide
20 group of the cross-linking agent and the amine function of the pyrrole.

Therefore, in this example microtroughs coated with a polypyrrole comprising a surface functionalisation, by means of SMBP, of maleimide type
25 reagent groups were produced.

These SMBP maleimide groups enable the fixation of the biological probe on the previously electrodeposited polypyrrole film.

The biological probe used in this example is a
30 mixture of functionalised oligonucleotides with an SH thiol group.

The oligonucleotides were prepared with a conventional automated synthesis and functionalised with a thiol group. The functionalised oligonucleotides are taken up by micropipetting in microwells and
 5 injected into microtroughs by means of a dispensing microrobot.

Figure 3 is a diagram of a section view of the structured substrate represented in figure 2, illustrating the fixation of the oligonucleotide on the
 10 cross-linking agent. In this figure, reference 1 relates to the structured substrate formed in this example, references 11 and 13, as in figures 1 and 2, relate to the pyrrole and N-ethylamine pyrrole copolymer, reference 15 to the cross-linking agent SMBP
 15 represented in figure 2 and reference 17 relates to an oligonucleotide. This figure 3 also demonstrates the reaction between the maleimide function of the cross-linking agent and the -SH oligonucleotide.

The probe density was analysed by fixation of
 20 oligonucleotides labelled with a biotin (reference 19 in figure 3) and using recognition with streptavidine Cy3 (reference 21 in figure 3).

The analysis was carried out using a conventional fluorescence detection method, applied to the
 25 biotin/streptavidine pair.

Example 2: Production of a biochip particularly composed of oligonucleotide probes grafted onto a conductive polymer according to a second embodiment of
 30 the method according to the present invention.

According to this second embodiment, particularly relating to step a) of the method according to the invention, a negative photosensitive resin is deposited on a silicon insert coated with a natural SiO_2 film.

5 As in example 1, microtroughs are then formed by photolithography such that the base of the microtroughs, hereafter referred to as sites, are composed of the silicon oxide layer.

The sites are then functionalised by silanisation: 10 said functionalisation is a collective step of the method according to the invention, it is carried out by immersing the silicon insert comprising previously formed microtroughs in a functionalised silanisation agent with a pyrrole in a suitable solvent. The 15 silanisation agent is N-(3-(trimethoxysilyl)propyl)pyrrole, and the solvent is an ethanol/water (95/5) mixture or toluene.

On the base of the microtroughs, or sites, a monolayer of silane comprising a regular alignment of 20 pyrrole sites, is obtained.

This monolayer is capable of initiating and promoting the adhesion of a polypyrrole film by electropolymerisation: it forms a working electrode for the collective electropolymerisation of the method 25 according to the present invention.

Electropolymerisation on such a monolayer is for example described in the article by P. Simon et al., J. Am. Chem. Soc. 1982, 104, 2031.

The next step is step b) of the method according 30 to the invention, the electropolymerisation of a pyrrole and N-ethylamine pyrrole copolymer hereafter

referred to as Py and Py-R-F, where R and F are respectively a spacer group and a reactive chemical function.

The functionalised silicon insert with silane pyrrole in fact forms the anode of an electrolytic cell. It is immersed in a suitable electrolytic bath, containing both polymers, a counter-electrode and a reference electrode.

The electrolytic bath also comprises Py and Py-R-F of the Li^+ electrolytic salts in a water/ethanol or acetonitrile solvent.

The counter-electrode is a platinum electrode. During the electropolymerisation, the pyrrole and substituted pyrrole nuclei are inserted in and bound with the pyrrole units of the silane monolayer.

Figure 4 appended illustrates the product obtained in this way and also shows the formation of covalent bonds between the different pyrrole cycles.

In this figure, reference 32 relates to the silicon insert, reference 34 to the photosensitive resin layer, reference 35 to a microtrough, reference 36 to the silane monolayer, and reference 38 to the layer of pyrrole and functionalised pyrrole copolymer.


The biochip is produced as in example 1:

- reactions with the bi-functional cross-linking agent: collective step,
- immobilisation of the functionalised oligonucleotide probes with a thiol group ($-\text{S}-\text{H}$) by mechanical addressing with a robot by GESIM type liquid jet printing (piezoelectric head) or with a BROWN type robot.

Example 3: Production of a biochip particularly composed of oligonucleotide probes grafted onto a conductive polymer according to a third embodiment of the method according to the present invention.

5 In this example of an embodiment of the method according to the present invention, the microtroughs were produced by photolithography of a resin deposited on a gold electrode on the surface of a silica insert as in example 1 above.

10 Thiollisation of the gold layer at the base of the microtroughs was then performed by a functionalised pyrrole with an -SH group according to the following formula:




15 The reaction was carried out by immersing the above-mentioned insert in a solution containing the functionalised pyrrole with a thiol in a solvent such as dimethylformamide DMH for example.

20 The thiol adhered on the gold at the base of the microtroughs to form a pyrrole monolayer. The combined gold layer and pyrrole fixed on said layer form a working electrode for the collective electropolymerisation of step b) of the method according to the invention. In fact, the specimen serves as an anode for the collective priming of the
25 electropolymerisation.

Steps b) and b) of the method according to the invention were then carried out as in examples 1 and 2 above.

Figure 5 appended is a diagram illustrating the product obtained in this example. It consists of a section view of a structured substrate 40 comprising a silicon insert 42, a gold layer 44, a photosensitive resin layer 46 wherein microtroughs 48 are formed, a pyrrole monolayer 50 adhered onto the gold at the base of the microtroughs, and a film 53 of pyrrole Py and



functionalised pyrrole copolymer. In this figure, the curved arrows indicate the electrodeposition of the above-mentioned film on the functionalised pyrrole 50 adhered by thiol groups onto the gold at the base of the microtroughs.

Example 4: Additional examples

Another approach consists of using a deposition of functionalised polypyrrole, such as:

either an oligonucleotide immobilisation support, or a support to start in situ oligonucleotide synthesis.


This technique makes it possible to replace advantageously a silanisation step wherein a monolayer is more difficult to produce, by a polymer film comprising a well-controlled thickness and number of functional sites.

To do this, films of a copolymer comprising a given proportion of functionalised pyrrole with

reference to the pyrrole is produced by electropolymerisation. These polypyrrole films, deposited on a gold electrode, instead of silicon or glass, show a parasite fluorescence of an intensity well below that observed with the other substrates.

The functionalisation may be carried out:

1. on the nitrogen of the pyrrole by an NH_2 or epoxy function, for example:



$\text{Py}-\text{CH}_2-\text{CH}_2-\text{CH}_2-\text{NH}_2$ or

- These functions may serve both for the immobilisation of the probes and the in situ synthesis;

2. in position 1, 2 or 3 of the pyrrole by an oxyamine ($\text{R}-\text{ONH}_2$) or carbonyl ($\text{R}, \text{R}'\text{C}=\text{O}$ where preferentially $\text{R}'=\text{CH}_3$) function. In this case, these functions serve only for probe immobilisation. The oligonucleotide preferentially comprises either a carbonyl function or an oxyamine function according to the substrate. The oxyamine-carbonyl coupling reaction offers the advantage of being very rapid and results in immobilisation times of less than 10 minutes, compared to a few hours as in the previous case;

3. on the nitrogen of the pyrrole by a nucleotide preferentially comprising a T base. This functionalised serves for the immobilisation of probes comprising a psolarene group in 5'. This group reacts under the effect of light at 365 nm to perform a cycloaddition between the double bond of the psolarene and the double bond 5,6 of Thymine; the reaction time is relatively short: approximately 15 min.

CLAIMS

1. Method to produce a blank biochip, characterised in that it comprises the following steps:

a) structuring of a substrate so as to obtain on said substrate microtroughs comprising in their base a layer of a material capable of initiating and promoting the adhesion onto said layer of a film of a pyrrole and functionalised pyrrole copolymer by electropolymerisation,

b) collective electropolymerisation, so as to form an electropolymerised film of a pyrrole and functionalised pyrrole copolymer on the base of said microtroughs, on the layer of said material, using a pyrrole and functionalised pyrrole solution, in the presence of suitable chemical reagents for said electropolymerisation.

2. Method to produce a biochip comprising a blank biochip according to steps a) and b) of claim 1 and also comprising a step c) of direct or indirect fixation of a biological probe onto the functionalised pyrrole, by injecting a biological probe solution, either in one or more microtroughs in the presence of chemical reagents required for the direct or indirect fixation of this biological probe onto the functionalised pyrrole.


3. Method according to claim 1, wherein the layer of material capable of initiating and promoting the adhesion of the polypyrrole film by

electropolymerisation being a metallic layer, step a) comprises a deposition step of said metallic layer onto the substrate, and a deposition step of a layer of resin or polymer onto the metallic layer and engraving
 5 of said resin layer so as to form microtroughs, wherein the base is composed at least partly of the metallic layer.

4. Method according to claim 3, wherein the
 10 metallic layer is a gold layer.

5. Method according to claim 3 or 4, wherein step a) also comprises a chemical treatment step of the gold layer at the base of the microtroughs in the presence
 15 of a functionalised pyrrole for example with a thiol group so as to form a monolayer of pyrrole onto said gold layer, at the base of said microtroughs.

6. Method according to claim 5, wherein the
 20 functionalised pyrrole with a thiol group has the following chemical formula:



wherein n has a value ranging from 2 to 10.

7. Method according to any of claims 1 to 6,
 25 wherein the substrate is a silicon insert.

8. Method according to claim 1, wherein the substrate is a silicon insert and the layer capable of initiating and promoting the adhesion onto said layer

of the polypyrrole film by electropolymerisation being a layer of silane comprising an alignment of pyrrole sites, step a) comprises a deposition step of a layer of resin on the silicon insert, said silicon insert
 5 being coated with an SiO_2 film, and engraving of said resin layer so as to form the microtroughs wherein the base is composed at least partly of the SiO_2 film; and a microtrough treatment step by means of a functionalised silanisation agent with a pyrrole so as
 10 to fix, on the SiO_2 film, in the base of the microtroughs, the silane layer comprising an alignment of pyrrole sites.

9. Method according to claim 8, wherein the
 15 silanisation agent is chosen in a group comprising N-(3-(trimethoxy silyl) propyl) pyrrole, or any other functionalised pyrrole with an $-\text{SiCl}_3$ or $-\text{Si}(\text{OMe})_3$ group.



20 10. Method according to any of claims 1 to 9, wherein the collective electropolymerisation is carried out by immersing the structured substrate obtained in step a) mentioned above in an electrolytic bath comprising a solution of pyrrole, functionalised
 25 pyrrole, and suitable chemical reagents for electropolymerisation, in the presence of a counter-electrode which is immersed in the electrolytic bath and is independent of the structured substrate, the layer of material capable of initiating and promoting
 30 the adhesion onto said layer of the pyrrole and

functionalised pyrrole copolymer film forming a working electrode.


11. Method according to any of claims 1 to 10,
 5 wherein the functionalised pyrrole is a pyrrole comprising a group chosen in a set comprising an NH_2 group, a thiol group, an N-hydroxysuccinimide ester group, a trimethoxy silyl group, a carboxyl, aldehyde and isothiocyanate group.



10

12. Method according to any of claims 1 to 10 wherein the functionalised pyrrole is chosen from one of the following compounds:



15










13. Method according to claim 2 wherein the
 fixation of the biological probe being indirect, said
 5 method also comprises, in step c); before the fixation
 of the biological probe, a collective fixation of a
 cross-linking agent on the functionalised pyrrole, in
 the presence of suitable chemical reagents, said cross-
 linking agent comprising a first function enabling its
 10 fixation onto the functionalised pyrrole, and a second

function enabling the fixation of the biological probe on said cross-linking agent.

14. Method according to claim 13, wherein the cross-linking agent is chosen in a set comprising a dialdehyde, diisothiocyanate, a diacid, a succinic anhydride, or a derivative of these compounds.

15. Method according to claim 13, wherein the cross-linking agent is chosen from one of the following compounds:





16. Method according to claim 2, wherein the biological probe is chosen from an oligonucleotide, a DNA, an RNA, a peptide, a glucide, a lipid, a protein, an antibody, an antigen.

17. Method according to claim 2, wherein the biological probe is a functionalised oligonucleotide to be fixed either directly or indirectly onto a functionalised pyrrole.

18. Method according to claim 17, wherein the oligonucleotide is functionalised with a thiol group.

19. Blank biochip comprising in this order:

- a substrate,
- a layer of material capable of initiating and promoting on said layer the adhesion of a film of a pyrrole and functionalised pyrrole copolymer by electropolymerisation,
- a layer of resin coating said layer of material capable of initiating and promoting the adhesion on said layer of a film of a pyrrole and functionalised pyrrole copolymer, wherein microtroughs have been produced such that the base of said microtroughs is composed at least partly of the layer of said material,

- a layer of a pyrrole and functionalised pyrrole copolymer, fixed on said material composing the base of said microtroughs.

5 20. Biochip comprising in this order:

- a silica substrate,
- a gold layer or a silane layer comprising pyrrole sites,
- a resin layer coating the gold layer or silane
- 10 layer comprising pyrrole sites, wherein microtroughs have been produced such that the base of said microtroughs is composed at least partly of said gold layer or said silane layer comprising pyrrole sites,
- a layer of a pyrrole and functionalised pyrrole
- 15 copolymer, fixed on the gold layer or silane layer comprising pyrrole sites composing the base of said microtroughs, the functionalised pyrrole being bound or not to a bi-functional cross-linking agent, et
- an oligonucleotide fixed directly on the
- 20 functionalised pyrrole, or indirectly on the functionalised pyrrole by means of the cross-linking agent bound to said pyrrole.

ABSTRACT OF THE DISCLOSUREBIOCHIP PRODUCTION METHOD AND BIOCHIP

The present invention relates to a method to produce a biochip and to a biochip, said biochip being composed particularly of biological probes grafted onto a conductive polymer.

5 The method according to the invention comprises the following steps:

10 a) structuring of a substrate so as to obtain on said substrate microtroughs comprising in their base a layer of a material capable of initiating and promoting the adhesion onto said layer of a film of a pyrrole and functionalised pyrrole copolymer by electropolymerisation,

15 b) collective electropolymerisation, so as to form an electropolymerised film of a pyrrole and functionalised pyrrole copolymer on the base of said microtroughs,

 c) direct or indirect fixation of functionalised oligonucleotides by microdeposition or a liquid jet printing technique.

113




FIG. 1







FIG. 2



3 / 3



Declaration, Power Of Attorney and Petition

Page 1 of 3

WE (I) the undersigned inventor(s), hereby declare(s) that :

My residence, post office address and citizenship are as stated below next to my name,

We (I) believe that we are (I am) the original, first, and joint (sole) inventor(s) of the subject matter which is claimed and for which a patent is sought on the invention entitled

BIOCHIP PRODUCTION METHOD AND BIOCHIP

the specification of which

- ☐ is attached hereto.
- ☐ was filed on
as Application Serial No.
and amended on
- ☒ was filed as PCT international application
Number PCT/FR99/03141
on December 15, 1999
and was amended under PCT Article 19
on November 21, 2000

We (I) hereby state that we (I) have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

We (I) acknowledge the duty to disclose information known to be material to the patentability of this application as defined in Section 1.56 of Title 37 Code of Federal Regulations.

We (I) hereby claim foreign priority benefits under 35 U.S.C. § 119 (a)-(d) or § 365 (b) of any foreign application(s) for patent or inventor's certificate, or § 365 (a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed. Prior Foreign Application (s)

Application No.	Country	Day/month/Year	Priority Claimed	
98 15883	FRANCE	16 DECEMBER 1998	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO
_____	_____	_____	<input type="checkbox"/> YES	<input type="checkbox"/> NO
_____	_____	_____	<input type="checkbox"/> YES	<input type="checkbox"/> NO
_____	_____	_____	<input type="checkbox"/> YES	<input type="checkbox"/> NO

We (I) hereby claim the benefit under Title 35, United States Code, § 119 (e) of any United States provisional application(s) listed below.

(Application Number)

(Filing Date)

(Application Number)

(Filing Date)

We (I) hereby claim the benefit under 35 U.S.C. §120 of any United States application(s), or § 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56 which became available between the filing date of prior application and the national or PCT International filing date of this application.

Application Serial No.

Filing Date


Status (pending, patented,
abandoned)

And we (I) hereby appoint : Norman F. Oblon, Registration Number 24,618; Marvin J. Spivak, Registration Number 24,913; C. Irvin McClelland, Registration Number 21,214; Gregory J. Maier, Registration Number 25,599; Arthur I. Neustadt, Registration Number 24,854; Richard D. Kelly, Registration Number 27,757; James D. Hamilton, Registration Number 28,421; Eckhard H. Kuesters, Registration Number 28,870; Robert T. Pous, Registration Number 29,099; Charles L. Gholz, Registration Number 26,395; Vincent J. Sunderdick, Registration Number 29,004; William E. Beaumont, Registration Number 30,996; Steven B. Kelber, Registration Number 30,073; Robert F. Gnuse, Registration Number 27,295; Jean-Paul Lavalleye, Registration Number 31,451; William B. Walker, Registration Number 22,498; Timothy R. Schwartz, Registration Number 32,171; Stephen G. Baxter, Registration Number 32,884; Martin M., Zoltick, Registration Number 35,745; Robert W. Hahl, Registration Number 33,893; and Richard L. Treanor, Registration Number 36,379; our (my) attorneys, with full powers of substitution and revocation, to prosecute this application and to transact all business in the Patent Office connected therewith; and we (I) hereby request that all correspondence regarding this application be sent to the firm of OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C., whose post Office Address is : Fourth Floor, 1755 Jefferson Davis Highway, Arlington, Virginia 22202.

We (I) declare that all statements made herein of our (my) own knowledge are true and that all statements made on information and belief are believed to be true ; and future that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such wilful false statements may jeopardise the validity of the application or any patent issuing thereon.

100
CAILLAT Patrice

NAME OF FIRST SOLE INVENTOR


Signature of Inventor

May 10, 2001
Date

Residence : 10 rue de Provence
38130 Echivolle
FRANCE FR Y

Citizen of : France

Post Office Address : The same as residence

200
ROSILIO Charles

NAME OF SECOND INVENTOR

Rosily

Signature of Inventor

May 10, 2001

Date

NAME OF THIRD INVENTOR

Signature of Inventor

Date

NAME OF FOURTH INVENTOR

Signature of Inventor

Date

NAME OF FIFTH INVENTOR

Signature of Inventor

Date

Residence : 16 Allée de la Pomme

gifsur Yvette 91190
FRANCE

Citizen of : France FRX

Post Office Address : The same as residence

Residence : _____

Citizen of : _____

Post Office Address : The same as residence

Residence : _____

Citizen of : _____

Post Office Address : The same as residence

Residence : _____

Citizen of : _____

Post Office Address : The same as residence